

lungarno  
CERAMICS

MASSA MARBLE

**MASSA MARBLE** provides a marble-look tile, reinvented. The two traditionally-sized wall tiles give an organic, natural feel, while the floor formats add rich details that draw the eye closer.

**THE DETAILS:**

- 3" x 6" and 6" x 6" natural edge wall tiles
- 9" x 10" hexagon and 32" x 32" large format porcelain floor tiles with glossy ink effect

**STYLE IT:**

- Transitional or farmhouse kitchen backsplashes
- Large, open living spaces and bathrooms
- Mud room floors and entryways




Photo features Carrara 3" x 6"



Photo features Carrara 6" x 6"

# MASSA MARBLE

Ceramic Wall and Porcelain Floor Tile



## COLOR AVAILABILITY - WALL



Carrara 3" x 6"  
MASCARWALL36



Calacatta Oro 3" x 6"  
MASOROWALL36



Carrara 3" x 6"  
MASCARWALL66



Calacatta Oro 6" x 6"  
MASOROWALL66


## COLOR AVAILABILITY - FLOOR




Carrara 9" x 10" Hexagon  
MASCARHEX



Calacatta Oro 9" x 10" Hexagon  
MASOROHEX



Carrara 32" x 32"  
MASCAR3232



Calacatta Oro 32" x 32"  
MASORO3232














## SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 6"	2.88" x 5.88"	3/8"	88	10.30
	6" x 6"	5.88" x 5.88"	3/8"	44	10.56
	3" x 6" Bullnose (6" side)	2.88" x 5.88"	3/8"	88	10.30
	9" x 10"	9.13" x 10.50"	5/16"	16	8.06
	32" x 32"	31.50" x 31.50"	3/8"	2	13.77

# MASSA MARBLE

Ceramic Wall and Porcelain Floor Tile

*lungarno*  
CERAMICS

TECHNICAL SPECIFICATIONS	WALL	HEXAGON	32" x 32"
 <b>Material Type</b>	Ceramic	Porcelain	Porcelain
 <b>Finish</b>	Matte	Matte	Matte
 <b>Edge</b>	Pressed	Pressed	Pressed
 <b>Color Variation</b>	V3	V3	V3
 <b>Printing</b>	Digital	Digital	Digital
 <b>Installation</b>	Wall	Wall / Floor	Wall / Floor
 <b>Usage</b>	Residential / Commercial	Residential / Commercial	Residential / Commercial
 <b>Grout Joint Recomm.</b>	1/8"	1/8"	1/8"
 <b>Thickness</b>	3/8"	5/16"	3/8"
 <b>Shower Pan</b>	No	Yes	No
 <b>Pool Lining*</b>	No	Yes	No
 <b>Fireplace Surround*</b>	Yes	Yes	Yes
 <b>Frost Resistant</b>	No	Yes	Yes

\*Proper installation methods must be followed per project. Please reference TCNA for more information.







TEST RESULTS	WALL	HEXAGON	32" x 32"
 <b>Water Absorption (C373)</b>	> 7%	≤ 0.5 %	≤ 0.5 %
 <b>Breaking Strength (C648)</b>	N/A	≥ 250 LBS	≥ 250 LBS
 <b>Surface Abrasion (MOHS)</b>	N/A	7.0	7.0
 <b>Chem. Resistance (C650)</b>	Resistant	Resistant	Resistant
 <b>D.C.O.F. (A137.1)</b>	N/A	≥ 0.42	≥ 0.42
 <b>Scratch Hardness (P.E.I)</b>	N/A	4	4



Photo features Calacatta Oro 32" x 32"